

PBA weighing platforms



PBA220 weighing platforms

Reliable and robust

9 different sizes

6 weighing capacities

Rectangular and square construction

OIML and NTEP approved

Broad range of Accessories



Cost/Performance optimized quality solution
for your routine applications

METTLER TOLEDO

For economical weighing

The PBA220 series of scale platforms provides flexible, rugged and cost-effective solutions for a wide range of weighing tasks in dry environments, such as but not limited to your receiving and shipping department and stock room.

The variety of sizes and capacities available in square and rectangular formats, guarantees the correct platform for your application.

The PBA220 platforms are compatible with all analog METTLER TOLEDO terminals.



Features

Certified resolution:	Accuracy Class III OIML 3000e / NTEP 3000d
Material frame:	Steel, powder-coated
Material load plate:	Stainless steel AISI304
Cell, level of IP protection:	Aluminum, IP65


Standard configurations

Model	Platform size	Max. weighing capacity						Cable length
Rectangular weighing platforms								
PBA220-A	240 x 300 mm / 9.5" x 11.8"	6 kg / 15 lb	15 kg / 30 lb					1 m / 3.3 ft
PBA220-BB	300 x 400 mm / 11.8" x 15.7"			35 kg / 60 lb	60 kg / 150 lb			2 m / 6.6 ft
PBA220-B	400 x 500 mm / 15.7" x 19.7"				60 kg / 150 lb	150 kg / 300 lb		2.5 m / 8.2 ft
PBA220-BC	500 x 650 mm / 19.7" x 25.6"				60 kg / 150 lb	150 kg / 300 lb	300 kg / 600 lb	2.5 m / 8.2 ft
PBA220-CC	600 x 800 mm / 23.6" x 31.5"				60 kg / 150 lb	150 kg / 300 lb	300 kg / 600 lb	2.5 m / 8.2 ft
Certifiable resolution 1x3000e / 1x3000d								
e1/max1		2 g / 0.005 lb	5 g / 0.01 lb	10 g / 0.02 lb	20 g / 0.05 lb	50 g / 0.1 lb	100 g / 0.2 lb	
Min. capacity		20 g / 0.05 lb	40 g / 0.1 lb	200 g / 0.05 lb	400 g / 0.1 lb	1 kg / 2.4 lb	2 kg / 5 lb	
Square weighing platforms								
PBA220-QA	229 x 229 mm / 9" x 9"	6 kg / 15 lb						1 m / 3.3 ft
PBA220-QB	305 x 305 mm / 12" x 12"		15 kg / 30 lb	35 kg / 60 lb	60 kg / 150 lb			2 m / 6.6 ft
PBA220-QC	457 x 457 mm / 18" x 18"				60 kg / 150 lb	150 kg / 300 lb		2.5 m / 8.2 ft
PBA220-QD	610 x 610 mm / 24" x 24"				60 kg / 150 lb	150 kg / 300 lb	300 kg / 600 lb	2.5 m / 8.2 ft
Certifiable resolution 1x3000e / 1x3000d								
e1/max1		2 g / 0.005 lb	5 g / 0.01 lb	10 g / 0.02 lb	20 g / 0.05 lb	50 g / 0.1 lb	100 g / 0.2 lb	
Min. capacity		20 g / 0.05 lb	40 g / 0.1 lb	200 g / 0.05 lb	400 g / 0.1 lb	1 kg / 2.4 lb	2 kg / 5 lb	

Zero setting range = 2% of max. capacity
 Temperature range = -10°C to +40°C / 14°F to 104°F

Preload range = 18% of max. capacity
 Taring range subtractive from 0 to max. capacity

Some Details




Highly durable powder-coated load frames.



Stable and fixed mounting plate to attach the stand.

Easy leveling

The height of the leveling feet is easy to adjust (thread diameter M10). The rubber parts are made of durable rubber material with outstanding damping characteristics.



Stainless steel load plate

All weighing platforms are supplied with a stainless steel load plate (material – EU: 1.4301, US: AISI304).



Overload stops

The PBA220 weighing platforms have several overload stops, which ensure the best possible protection against weighing cell overload through optimal positioning and specific adjustment.


Accessories for PBA220 weighing platforms

	Order number
Ball top, carbon steel	
PBA220-B, 400 x 500mm / 15.7" x 19.7"	72 198 691
PBA220-BC, 500 x 650mm / 19.7" x 25.6"	72 198 692
PBA220-CC, 600 x 800mm / 23.6" x 31.5"	72 198 693
PBA220-QC, 457 x 457mm / 18" x 18"	72 198 694
PBA220-QD, 610 x 610mm / 24" x 24"	72 198 695
Roller track, carbon steel	
PBA220-B, 400 x 500mm / 15.7" x 19.7"	72 198 705
PBA220-BC, 500 x 650mm / 19.7" x 25.6"	72 198 707
PBA220-CC, 600 x 800mm / 23.6" x 31.5"	72 198 709
PBA220-QC, 457 x 457mm / 18" x 18"	72 198 689
PBA220-QD, 610 x 610mm / 24" x 24"	72 198 690
Stand, carbon steel	
Heights 330mm / 13"	72 198 699
Heights 660mm / 26"	72 198 700
Heights 900mm / 35.4"	72 198 701
Stand, stainless steel	
Heights 330mm / 13"	72 198 702
Heights 660mm / 26"	72 198 703
Heights 900mm / 35.4"	72 198 704
Cart, carbon steel	
PBA220-BC, 500 x 650mm / 19.7" x 25.6"	72 198 696
PBA220-CC, 600 x 800mm / 23.6" x 31.5"	72 198 697




Dimensions of the weighing platforms

Front view



Side view



Model – Dimension in mm/"	a	b	c	d	e	f	g	h
PBA220-A...	175 6.89	240 9.45	57 2.24	68.5 2.7	235 9.25	300 11.81	22 0.87	41 1.61
PBA220-BB...	235 9.25	300 11.81	66 2.59	77.5 3.05	335 13.19	400 15.75	22 0.87	41 1.61
PBA220-B...	335 13.19	400 15.75	66.5 2.62	79 3.11	435 17.13	500 19.69	22 0.87	41 1.61
PBA220-BC...	435 17.13	500 19.69	105 4.13	115 4.53	586 23.07	650 25.59	28 0.87	41 1.61
PBA220-CC...	503 19.8	600 23.62	125 4.92	130 5.12	724 28.5	800 31.49	22 0.87	41 1.61
PBA220-QA...	165 6.49	229 9	57 2.24	68.5 2.7	177 6.97	229 9	22 0.87	41 1.61
PBA220-QB...	240 9.45	305 12	66 2.6	77.5 3.05	240 9.45	305 12	22 0.87	41 1.61
PBA220-QC...	392 15.43	457 18	66.5 2.62	79 3.11	392 15.43	457 18	22 0.87	41 1.61
PBA220-QD...	545 21.46	610 24	105 4.13	115 4.53	545 21.46	610 24	28 1.10	41 1.61

www.mt.com

For more information

Mettler-Toledo AG

CH-8606 Greifensee
Switzerland
Tel. +41 44 944 22 11
Fax +41 44 944 30 60

Subject to technical changes
© 08/2008 Mettler-Toledo AG
Printed in Switzerland
MTSI 44099326

ServiceXXL
Tailored Services

